



Electro Optical Components, Inc.


5464 Skylane Boulevard, Suite D, Santa Rosa, CA 95403

Toll Free: 855-EOC-6300

www.eoc-inc.com | info@eoc-inc.com



smartGAS Multi Gas Analyzer ANAREX 2.0




Types

- ANAREX 2.0
- ANAREX DS 2.0
 - Double Stream
- Options
 - without Flowmeter
 - PVDF Tubing
 - Stainless Tubing
 - different Gas Fittings
 - 110VAC
 - Country Code Powercable

Technologies

- NDIR
- NDUV
- TCD
- PM
- EC
- PID
- TDL
- PA

smartGAS ANAREX 2.0



ANAREX 2.0




The **most important** to select the best fit Analyzer is to know :

- **Required Linearity**
- **Required LDL**
- **Background Gas Type and Range**
- **Background Humidity**

- Multi Gas Analyzer with mixed sensor technologies
- Up to 5 Gases
- DS : Double Stream Version. Two Analyzer in One
- 5.6" Touch Panel GUI
- Internal Cross compensated (if required)
- Three Point User calibration each Channel
- Autocalibration Function
- NOx calculation Functions
- High voltage isolated analog output 0(4)..20mA
- RS232 and RS485 Interface
- Standby Function for Back Pressure cleaning
- Alarm Function and Signal output
- 110VAC Version available


smartGAS ANAREX 2.0 Fields of Applications



- Emission Control
- Chemical Industrie Process Control
- Steel Industrie Process Control
- Blast Furnace Process Control
- Bio-Gas Plants
- Waste Water Emission
- TOC/COD Water Quality Analytic
- Gasoline Car/Diesel Oil Truck Emission
- CO₂ capturing Systems

- H₂ Electrolysis Plants
- Laboratory Analytic
- Research
- Soil Analytic
- Coal Analytic

smartGAS ANAREX 2.0 Accessories



- Heated Gas Tubes
- Compressor Gas Cooler
- Peltier Gas Cooler
- Gas Pumps
- Dust Filter
- Water and Oil separation Filter
- Valves
- Pressure Reducer

- Consulting
- Calibration Service
- Certifications